
Mesh





Product Name: Mesh

Product Specification: 150*150D/14*9, 250*250D/22*19, 500*500D/9*9, 1000*1000D/9*9, 500*1000D/18*12, etc.

Weight (GSM): 130G, 220G, 250G, 260G, etc.

Product Features:

Application: The products are widely used for advertising printing, construction safety net, civil warp coated wire mesh, colored nets and so on. The color can be customized according to your requirements.

Base Fabric/Items				150*150D 14*9		250*250D 22*19		500*500D 9*9		1000*1000D 9*9	1000*10 12*1
Weight (GSM)				250		130		220		250	260
Tensile Strength (N/5CM)	L	500		1000		750		1300		1400	1000
	W	350		900		740		1200		1300	1400
Tearing Strength (N/5CM)	L	30		150		150		210		250	160
	W	30		130		120		200		220	200
Enviromental (Optional)				REACH/ROHS/EN71/ASTM-F963							
Colour				ANY COLOUR							
FR Certification ?Optional?				B1/B2/M1/M2/NFPA-701/DIN75200/ASTM D							
Temperature Resistance				—30—+70?							
Width (M)				UP TO 5M							
					All	our Technic	al Ch	haracteristics	are l	Referential.	

Product link: https://www.cnuneed.com/mesh.html

^{*} The product has wide applicability, strong windproof performance, strong resistance to high and low temperature, good surface effect, strong printing and anti-fouling performance, and can be treated according to customer requirements for flame retardant, mildew proof, environmental protection and fluorescence.